Fig. 1 Internal DNA sequence of the PhI p 4 gene

C A C C G G A A G G G G T G C T G T T C A A C A T C C A G T A C G T C A A C T A C G T C A A A C A T C C A G T A C G T C A A A C A T C C A G T A C G T C A A A C T A C G T C A A A C A T G G A G C C A T T G T C G T G G A G C A A G G A G C C G T A C G T G A A C T A C A A C A A C T A C A A A C A A C A A C A A C A A C A A C A A C A A C A A C A A C A A C A A A C A A A C

Fig. 2 3' end of the nucleic acid sequence of the Phl p 4 gene

Fig. 3 Localisation of PhI p 4 peptides in the deduced amino acid sequence of the PhI p 4 allergen

1	¥	F	p	P	P	A	A	ĸ	E	D	F	L	G	c	L	v	ĸ	E	I	₽	P	R	L	L	Y	A	ĸ	s	s	P	A	Y	P	s	v	L	G	Q	T	I
																											ĸ											_		
	_											_	_		_			_								_														
Peptide P1																																								
41	R	N	s	R	W	8	s	P	D	N	V	K	P	I	¥	I	Ÿ	T	P	T	N	A	s	H	I	Q	S	A	V	v	C	G	R	R	Ħ	G	v	R	I	R
81	v	R	s	G	G	H	D	¥	E								-			E	F	A	v	V	D	L	s	ĸ	M	R	A	v	W	v	D	G	ĸ	A	R	T
	GLXYRXLXPE														٠																									
	Peptide P3																																							
					_	_	_	_	_	_	_	_			_	_	_		_	_	_		_	_	_	_		_		_	_									
121	A	W	V	D	S	G	A	Q	L	G	Ŀ	L	¥	¥	Ą	1	н	ĸ	A.	S	T	V	L	A	E,	Þ	A	G	V	С	₽	T	Ι	G	V	G	G	N	F	A
161	G	G	G	F	G	M	L	L	R	к	Y	G	I	A	A	E	N	V	I	D	V	ĸ	L	v	D	A	N	G	T	L	H	D	ĸ	ĸ	s	M	G	D	D	H
																																		K	x	M	G	D	D	H
																																		P	er	otide P4				1
																									•						•									
201	F	W	A	v	R	G	G	G	G	E	s	F	G	I	v	A	A	W	ĸ	V	R	L	L	₽	V	P	P	T	v	T	v	F	ĸ	I	P	ĸ	ĸ	A	8	E
	F	X	A	V	R																																	<u>A</u>	P	E
241	G	A	v	D	I	I	N	R	w	0	v	v	A	P	0	L	P	D	D	L	м	I	R	v	I	A	0	G	P	T	A	T	F	E	A	м	Y	T.	G	T
									••	~	-	•		_	-	_	_	_		_		_		•	_		-	Ī	_	_		_	_	_			_	_	_	_
	GAVDII Pentide P5																																							
Peptide P5																																								
281	C	Q	T	L	T	P	M	M	s	s	ĸ	F	P	E	L	G	M	N	A	s	H	С	N	E	M	3	W	I	Q	s	I	P	F	v	H	L	G	H	R	D
321	N	т	FF.	ח	ח	т.	т.	N	R	N	N	Ŧ	ਜ	ĸ	P	च	A	E	Y	ĸ	8	D	v	v	Y	म	Þ	ਸ	Þ	ĸ	R	v	T.T	E	0	τ.	म	8	Tr.	w
	•		_	_	_	_	_	•		-	•	•	-		-	-	••	_	-	••	•	_	_	٠	_	_	-	-	_	••	••	•	**	~	×	_	~	~	•	**
361	L	L	ĸ	P	G	A	G	I	M	I	F	D	P	Y	G	A	T	I	s	A	T	₽	E	W	A	T	P	F	P	H	R	ĸ	G	v	L	F	N	I	Q	Y
																								<u>s</u>	A	T	P	F	x						I,			I	Q	¥
																								Peptide P2																
																																-	•							
401			¥	W	F	A	P	G	A	G	A	A	P	L	S	W	S	K	E	I	Y	N	Y																	R
	<u>_v</u>																							<u>M</u>	E	P	Y	V	s	I					A				Y	
															Peptide P6										•															
441	D	I	D	L	G	R	N	E	v	v	и	D	v	s	T	F	s	s	G	L	v	w	G	Q	ĸ	Y	E,	ĸ	G	N	F	Q	R	L	A	I	T	ĸ	G	ĸ
									١	•												-		-								_								
401	**	-	-		-	v	73	73	3.7	177	\sim	0	7	7	73	-	~	20	T.P	v																				

Fig. 4 Determination of the identity of recombinant Phl p 4 (rPhl p 4) by means of the monoclonal antibodies 5H1 (blot A) and 3C4 (blot B) by Western blot




Fig. 5 Determination of the reactivity of recombinant PhI p 4 (rPhI p 4) with IgE from sera of grass pollen allergy sufferers by Western blot

